

TOYOTA

※実車上で交換可能なクーラント量は全容量の80%程度となります。

車両	排気量	車両型式	エンジン	年式	冷却水全量A	Aの80%量	31℃(-15度)に なる抜量	全交換40% クーラント量	全交換40%の水量	備考
86	2000	ZN6	FA20	16/8～21/7	7.2	5.76	1.62	2.30	3.46	6MT
					7.5	6	1.69	2.40	3.60	6AT
	2000	ZN6	FA20	12/4～16/7	7.2	5.76	1.62	2.30	3.46	6MT
					7.5	6	1.69	2.40	3.60	6AT
bB	1300	QNC20.QNC25	K3-VE	05/12～16/8	4.2	3.36	0.95	1.34	2.02	
	1500	QCN21	3SZ-VE	05/12～16/8	4.4	3.52	0.99	1.41	2.11	
	1300	NCP30	2NZ-FE	00/2～05/11	4.4	3.52	0.99	1.41	2.11	
	1500	NCP31.NCP35	1NZ-FE	00/2～05/11	4.3	3.44	0.97	1.38	2.06	
C-HR	1200	NGX50	8NR-FTS(TURBO)	16/12～	6.5	5.2	1.46	2.08	3.12	
					1.9	1.52	0.43	0.61	0.91	インタークーラー用
	1800	ZVX10	2ZR-FXE(HYBRID)	16/12～	5.4	4.32	1.22	1.73	2.59	
					1.4	1.12	0.32	0.45	0.67	PCU冷却液
GR86	2400	ZN8	FA24	21/10～	7.4	5.92	1.67	2.37	3.55	6MT
					7.7	6.16	1.73	2.46	3.70	6AT
GR Corolla	1600	GZE14H	G16E-GTS	25/3～	5.5	4.4	1.24	1.76	2.64	6MT車
					6.6	5.28	1.49	2.11	3.17	6MT車 サブラジエーター装着車
	1600	GZE14H	G16E-GTS	25/3～	5.8	4.64	1.31	1.86	2.78	8AT車
					6.9	5.52	1.55	2.21	3.31	8AT車 サブラジエーター装着車
GR Yaris	1600	GZE14H	G16E-GTS	22/12～25/2	5.5	4.4	1.24	1.76	2.64	
	1500	MXP12	M15A-FKS	20/9～24/3	5.1	4.08	1.15	1.63	2.45	
	1600	GXP16	G16E-GTS	24/4～	5.4	4.32	1.22	1.73	2.59	6MT車
					6.5	5.2	1.46	2.08	3.12	6MT車 サブラジエーター装着車
	1600	GXP16	G16E-GTS	24/4～	5.8	4.64	1.31	1.86	2.78	8AT車
					6.8	5.44	1.53	2.18	3.26	8AT車 サブラジエーター装着車
iQ	1300	NGJ10	1NR-FE	09/8～	5.2	4.16	1.17	1.66	2.50	
					4.7	3.76	1.06	1.50	2.26	MT車
	1000	KGJ10	1KR-FE	08/11～	4.9	3.92	1.10	1.57	2.35	AT車
					4.5	3.6	1.01	1.44	2.16	
MIRAI	FCV	JPD10	-	14/12～	4.7	3.76	1.06	1.50	2.26	インバーター冷却液(FCスタックには 使用不可能)
MR2	2000	SW20	3S-GTE	89/11～99/10	13.7	10.96	3.08	4.38	6.58	
	2000	SW20	3S-GE	89/11～99/10	13.7	10.96	3.08	4.38	6.58	
MR-S	1800	ZZW30	1ZZ-FE	99/10～07/7	10.4	8.32	2.34	3.33	4.99	
RAV4	2000	MXA54.MXA52	M20A-FKS	19/4～	6.9	5.52	1.55	2.21	3.31	
					6.6	5.28	1.49	2.11	3.17	
	2500	AXAH54.AXAH52	A25A-FXS(HYBRID)	19/4～	2	1.6	0.45	0.64	0.96	PCU冷却液
					7.3	5.84	1.64	2.34	3.50	
RAV4 PHV	2500	AXAP54	A25A-FXS	20/6～	2	1.6	0.45	0.64	0.96	PCU冷却液
アイシス ISIS	1800	ZGM10G.ZGM15G ZGM10W.ZGM15W	2ZR-FAE	09/9～17/12	6.4	5.12	1.44	2.05	3.07	リアヒーター無
					7.9	6.32	1.78	2.53	3.79	リアヒーター有
	2000	ZGM11G.ZGM11W	3ZR-FAE	09/9～17/12	6.4	5.12	1.44	2.05	3.07	リアヒーター無
					7.9	6.32	1.78	2.53	3.79	リアヒーター有
	1800	ZNM10G.ZNM10W	1ZZ-FE	04/9～09/9	6.4	5.12	1.44	2.05	3.07	リアヒーター無
					7.9	6.32	1.78	2.53	3.79	リアヒーター有
	2000	ANM10G.ANM15G ANM10W.ANM15W	1AZ-FSE(D-4)	04/9～09/9	6.5	5.2	1.46	2.08	3.12	リアヒーター無
					8	6.4	1.80	2.56	3.84	リアヒーター有
アクア AQUA	1500	MXP10.MXP11 MXP15.MXP16	M15A-FXE(HYBRID)	21/7～	4.8	3.84	1.08	1.54	2.30	
					1.6	1.28	0.36	0.51	0.77	PCU冷却液
	1500	NHP10	1NZ-FXE(HYBRID)	11/12～21/6	5.3	4.24	1.19	1.70	2.54	
					1.6	1.28	0.36	0.51	0.77	インバーター冷却液
アリスト	3000	JZS160	2JZ-GE	97/8～04/12	7.7	6.16	1.73	2.46	3.70	
ARISTO	3000	JZS161	2JZ-GTE	97/8～04/12	8.5	6.8	1.91	2.72	4.08	
アルテッツァ	2000	GXE10	1G-FE	98/10～05/7	6.6	5.28	1.49	2.11	3.17	
ALTEZZA	2000	SXE10	3S-GE	98/10～05/7	6.8	5.44	1.53	2.18	3.26	
アルテッツァ ジータ	2000	JXE10W	1G-FE	01/7～05/7	6.6	5.28	1.49	2.11	3.17	
ALTEZZA GITA	2000	JXE15W	1G-FE	01/7～05/7	7.3	5.84	1.64	2.34	3.50	4WD
	3000	JCE10W	2JZ-GE	01/7～05/7	7.5	6	1.69	2.40	3.60	
	3000	JCE15W	2JZ-GE	01/7～05/7	7	5.6	1.58	2.24	3.36	4WD
					9.2	7.36	2.07	2.94	4.42	
アルファード ALPHARD	2500	AAHP45W	A25A-FXS	25/1～	2	1.6	0.45	0.64	0.96	PCU冷却液
					9	7.2	2.03	2.88	4.32	
	2500	AGH40W.AGH45W	2AR-FE	23/6～	8.5	6.8	1.91	2.72	4.08	
					1.3	1.04	0.29	0.42	0.62	PCU冷却液
	2500	AAH40W.AAH45W	A25A-FXS	23/6～	9.3	7.44	2.09	2.98	4.46	
	2500	AGH30W.AGH35W	2AR-FE	18/1～23/5	10.7	8.56	2.41	3.42	5.14	
	3500	GGH30W.GGH35W	2GR-FKS	18/1～23/5	8.8	7.04	1.98	2.82	4.22	
	2500	AGH30W.AGH35W	2AR-FE	15/1～17/12	9.3	7.44	2.09	2.98	4.46	
	2500	AYH30W	2AR-FXE(HYBRID)	15/1～23/5	3.3	2.64	0.74	1.06	1.58	インバーター冷却液
					10.6	8.48	2.39	3.39	5.09	
	3500	GGH30W.GGH35W	2GR-FE	15/1～17/12	9.1	7.28	2.05	2.91	4.37	
	2400	ATH20W	2AZ-FXE(HYBRID)	11/11～15/1	3.3	2.64	0.74	1.06	1.58	インバーター冷却液
					8.4	6.72	1.89	2.69	4.03	
	2400	ANH20W.ANH25W	2AZ-FE	08/5～15/1	10.6	8.48	2.39	3.39	5.09	
	3500	GGH20W.GGH25W	2GR-FE	08/5～15/1	7.9	6.32	1.78	2.53	3.79	
	2400	ATH10W	2AZ-FXE(HYBRID)	03/7～08/04	1.6	1.28	0.36	0.51	0.77	インバーター冷却液

イスト IST	2400	ANH10W	2AZ-FE	02/5～08/04	8.1	6.48	1.82	2.59	3.89	
	3000	MNH10W	1MZ-FE	02/5～08/04	11	8.8	2.48	3.52	5.28	
	1800	ZSP110	2ZR-FE	07/7～10/7	4.9	3.92	1.10	1.57	2.35	
	1500	NCP110.NCP115	1NZ-FE	07/7～16/4	5.1	4.08	1.15	1.63	2.45	
	1300	NCP60	2NZ-FE	02/5～07/6	4.4	3.52	0.99	1.41	2.11	
ヴァンガード VANGUARD	1500	NCP61.NCP65	1NZ-FE	02/5～07/6	4.3	3.44	0.97	1.38	2.06	
	2400	ACA33W.ACA38W	2AZ-FE	07/8～	6.2	4.96	1.40	1.98	2.98	
ウィッシュ WISH	3500	GSA33W	2GR-FE	07/8～	8.9	7.12	2.00	2.85	4.27	
	1800	ZGE20G.ZGE20W ZGE25G.ZGE25W	2ZR-FAE	09/4～17/11	5.5	4.4	1.24	1.76	2.64	
	2000	ZGE21G.ZGE22W	3ZR-FAE	09/4～17/11	5.5	4.4	1.24	1.76	2.64	
	2000	ANE10G.ANE11W	1AZ-FSE(D-4)	03/4～09/4	6.7	5.36	1.51	2.14	3.22	
	1800	ZNE10G	1NZ-FE	03/1～09/4	6.9	5.52	1.55	2.21	3.31	
ヴィッツ VITZ	1800	ZNE14G	1NZ-FE	03/1～09/4	6.5	5.2	1.46	2.08	3.12	4WD
	1500	NHP130	1NZ-FXE(HYBRID)	17/1～20/1	4.5	3.6	1.01	1.44	2.16	インバーター冷却液
					1.6	1.28	0.36	0.51	0.77	
	1300	NSP130	1NR-FKE	14/4～20/1	4.9	3.92	1.10	1.57	2.35	
					4.8	3.84	1.08	1.54	2.30	
	1500	NCP131	1NZ-FE	10/12～16/12	5	4	1.13	1.60	2.40	MT車
										CVT車
	1000	KSP130	1KR-FE	10/12～20/1	4.8	3.84	1.08	1.54	2.30	
	1300	NSP130.NSP135	1NR-FE	10/12～14/4	4.7	3.76	1.06	1.50	2.26	
	1000	KSP90	1KR-FE	05/2～10/12	4.8	3.84	1.08	1.54	2.30	
	1300	NCP95	2NZ-FE	05/2～10/12	4.8	3.84	1.08	1.54	2.30	
	1300	SCP90	2SZ-FE	05/2～10/12	5.4	4.32	1.22	1.73	2.59	
	1500	NCP91	1NZ-FE	05/2～10/12	5.1	4.08	1.15	1.63	2.45	MT車
					5.1	4.08	1.15	1.63	2.45	CVT車
	1300	SCP13(CVT)	2SZ-FE	02/12～05/1	5.3	4.24	1.19	1.70	2.54	
	1500	NCP13	1NZ-FE	00/10～05/1	4.4	3.52	0.99	1.41	2.11	MT車
					4.3	3.44	0.97	1.38	2.06	AT車
	1300	NCP10.NCP15	2NZ-FE	99/8～05/1	4.5	3.6	1.01	1.44	2.16	MT車
					4.4	3.52	0.99	1.41	2.11	AT車
	1000	SCP10	1SZ-FE	99/1～05/1	4.7	3.76	1.06	1.50	2.26	MT車
					4.6	3.68	1.04	1.47	2.21	AT車
ヴェロッサ VEROSSA	2000	GX110	1G-FE	01/7～04/4	6.5	5.2	1.46	2.08	3.12	
	2000	GX115	1G-FE	01/7～04/4	7.2	5.76	1.62	2.30	3.46	4WD
	2500	JZX110	1JZ-GTE(TURBO)	01/7～04/4	7.7	6.16	1.73	2.46	3.70	MT車
					8.4	6.72	1.89	2.69	4.03	AT車
	2500	JZX110	1JZ-FSE(D-4)	01/7～04/4	6.9	5.52	1.55	2.21	3.31	
ヴェルファイア VELLFIRE	2400	TAHA40W.TAHA45W	T24A-FTS	23/6～	10.8	8.64	2.43	3.46	5.18	
	2500	AAHP45W	A25A-FXS	25/1～	2.1	1.68	0.47	0.67	1.01	インタークーラー用
					9.2	7.36	2.07	2.94	4.42	
	2500	AAHH40W.AAHH45W	A25A-FXS	23/6～	2	1.6	0.45	0.64	0.96	PCU冷却液
					8.5	6.8	1.91	2.72	4.08	
	2500	AGH30W.AGH35W	2AR-FE	18/1～23/5	1.3	1.04	0.29	0.42	0.62	PCU冷却液
	3500	GGH30W.GGH35W	2GR-FKS	18/1～23/5	9.3	7.44	2.09	2.98	4.46	
	2500	AGH30W.AGH35W	2AR-FE	15/1～17/12	10.7	8.56	2.41	3.42	5.14	
	2500	AYH30W	2AR-FXE(HYBRID)	15/1～23/5	8.8	7.04	1.98	2.82	4.22	
					9.3	7.44	2.09	2.98	4.46	
	3500	GGH30W.GGH35W	2GR-FE	15/1～17/12	3.3	2.64	0.74	1.06	1.58	インバーター冷却液
	2400	ATH20W	2AZ-FXE(HYBRID)	11/11～15/1	10.6	8.48	2.39	3.39	5.09	
					9.1	7.28	2.05	2.91	4.37	
ヴォクシー VOXY	2400	ANH20W.ANH25W	2AZ-FE	08/5～15/1	3.3	2.64	0.74	1.06	1.58	インバーター冷却液
	3500	GGH20W.GGH25W	2GR-FE	08/5～15/1	10.6	8.48	2.39	3.39	5.09	
	1800	ZWR90G.ZWR95G	2ZR-FXE(HYBRID)	22/1～	5.5	4.4	1.24	1.76	2.64	リアエアコン無
					6.6	5.28	1.49	2.11	3.17	リアエアコン有
					1.6	1.28	0.36	0.51	0.77	PCU冷却液
	1800	ZWR80G	2ZR-FXE(HYBRID)	14/1～21/12	5.7	4.56	1.28	1.82	2.74	リアエアコン無
					7.5	6	1.69	2.40	3.60	リアエアコン有
					2.9	2.32	0.65	0.93	1.39	インバーター冷却液
	2000	MZRA90W.MZRA95W	M20A-FKS	22/1～	6.4	5.12	1.44	2.05	3.07	リアエアコン無
					7.4	5.92	1.67	2.37	3.55	リアエアコン有
	2000	ZRR80G.ZRR85G ZRR80W.ZRR85W	3ZR-FAE(VALVE MATIC)	14/1～21/12	6.1	4.88	1.37	1.95	2.93	リアエアコン無
					7.9	6.32	1.78	2.53	3.79	リアエアコン有
	2000	ZRR70G.ZRR70W ZRR75G.ZRR75W	3ZR-FE	07/6～14/1	6.6	5.28	1.49	2.11	3.17	リアヒーター無
					8.6	6.88	1.94	2.75	4.13	リアヒーター有
エスクァイア ESQUIRE	2000	ZRR70W.ZRR75W	3ZR-FAE(VALVE MATIC)	07/6～14/1	6.6	5.28	1.49	2.11	3.17	リアヒーター無
					8.6	6.88	1.94	2.75	4.13	リアヒーター有
					6.8	5.44	1.53	2.18	3.26	リアヒーター無
	2000	AZR60G.AZR65G	1AZ-FSE(D-4)	01/11～07/6	7.5	6	1.69	2.40	3.60	リアヒーター有
					5.7	4.56	1.28	1.82	2.74	リアエアコン無
エスティマ ESTIMA	1800	ZWR80G	2ZR-FXE(HYBRID)	14/10～21/12	7.5	6	1.69	2.40	3.60	リアエアコン有
					2.9	2.32	0.65	0.93	1.39	インバーター冷却液
					6.1	4.88	1.37	1.95	2.93	リアエアコン無
	2000	ZRR80G.ZRR85G	3ZR-FAE(VALVE MATIC)	14/10～21/12	7.9	6.32	1.78	2.53	3.79	リアエアコン有
					7.3	5.84	1.64	2.34	3.50	リアエアコン無
エスティマ ESTIMA	2400	AHR20W(HYBRID)	2AZ-FXE	06/6～19/10	8.9	7.12	2.00	2.85	4.27	リアエアコン有
					3.3	2.64	0.74	1.06	1.58	インバーター冷却液
					6.3	5.04	1.42	2.02	3.02	リアエアコン無
	2400	ACR50W.ACR55W	2A7-FF	06/1～19/10						

	3500	GSR50W.GSR55W	2GR-FE	06/1～16/5	8.2	6.56	1.85	2.62	3.94	リアエアコン有				
					8.7	6.96	1.96	2.78	4.18	リアエアコン無				
	2400	AHR10W(HYBRID)	2AZ-FXE	01/6～05/11	10.6	8.48	2.39	3.39	5.09	リアエアコン有				
					6	4.8	1.35	1.92	2.88	リアヒーター無				
					7.7	6.16	1.73	2.46	3.70	リアヒーター有				
	2400	ACR30W.ACR40W	2AZ-FE	00/2～06/1	1.4	1.12	0.32	0.45	0.67	インバーター冷却液				
					6.4	5.12	1.44	2.05	3.07	リアヒーター無				
					8.1	6.48	1.82	2.59	3.89	リアヒーター有				
	3000	MCR30W.MCR40W	1MZ-FE	00/2～06/1	9.3	7.44	2.09	2.98	4.46	リアヒーター有				
					11	8.8	2.48	3.52	5.28	リアヒーター有				
オーリス AURIS	1800	ZWE186H	2ZR-FXE(HYBRID)	16/4～18/5	7	5.6	1.58	2.24	3.36					
					2.1	1.68	0.47	0.67	1.01	インバーター冷却液				
	1200	NRE185H	8NR-FTS(TURBO)	15/4～18/5	6.4	5.12	1.44	2.05	3.07					
					2.1	1.68	0.47	0.67	1.01	インタークーラー用				
	1500	NZE181H.NZE184H	1NZ-FE	12/8～18/5	5.5	4.4	1.24	1.76	2.64					
	1800	ZRE186H	2ZR-FAE	12/8～18/5	5.6	4.48	1.26	1.79	2.69	MT車				
5.8					4.64	1.31	1.86	2.78	CVT車					
カムリ CAMRY	2500	AXVH70	A25A-FXS(HYBRID)	17/7～	1500	NZE151H.NZE154H	1NZ-FE	06/10～12/7	5.5	4.4	1.24	1.76	2.64	
					1800	ZRE152H.ZRE154H	2ZR-FE	06/10～12/7	5.8	4.64	1.31	1.86	2.78	
	2500	AVV50	2AR-FXE(HYBRID)	11/9～17/6	6.1	4.88	1.37	1.95	2.93					
					1.7	1.36	0.38	0.54	0.82	PCU冷却液				
	2400	ACV40.AC45	2AZ-FE	06/2～	7.2	5.76	1.62	2.30	3.46					
					3.2	2.56	0.72	1.02	1.54	インバーター冷却液				
カローラ COROLLA	2400	ACV30.AC35	2AZ-FE	01/9～06/1	6.2	4.96	1.40	1.98	2.98					
					6.2	4.96	1.40	1.98	2.98					
	1200	NRE210	8NR-FTS(TURBO)	19/09-22/09	6.3	5.04	1.42	2.02	3.02					
					1.9	1.52	0.43	0.61	0.91	インタークーラー用				
	1500	MZE17	M15A-FKS	22/10-	5.8	4.64	1.31	1.86	2.78					
					5.5	4.4	1.24	1.76	2.64					
1800	ZWE219.ZWE215	2ZR-FXE(HYBRID)	22/10-	1.5	1.2	0.34	0.48	0.72	PCU冷却液					
				5.8	4.64	1.31	1.86	2.78						
カローラアクシオ COROLLA AXIO	1800	ZWE211.ZWE214	2ZR-FXE(HYBRID)	19/09-22/09	5.4	4.32	1.22	1.73	2.59					
					1.9	1.52	0.43	0.61	0.91	PCU冷却液				
	1500	NRE161	2NR-FKE	15/4～	4.9	3.92	1.10	1.57	2.35					
					5.3	4.24	1.19	1.70	2.54					
	1500	NKE165	1NZ-FXE(HYBRID)	13/8～	1.6	1.28	0.36	0.51	0.77	インバーター冷却液				
					4.7	3.76	1.06	1.50	2.26					
カローラクロス COROLLA CROSS	1500	NZE161.NZE164	1NZ-FE	12/5～19/8	4.8	3.84	1.08	1.54	2.30	MT車				
					5	4	1.13	1.60	2.40	CVT車				
	1800	ZRE142.ZRE144	2ZR-FAE	10/4～12/4	5.9	4.72	1.33	1.89	2.83					
					5.9	4.72	1.33	1.89	2.83					
	1800	ZRE142.ZRE144	2ZR-FE	06/10～10/3	5.6	4.48	1.26	1.79	2.69	MT車				
					5.8	4.64	1.31	1.86	2.78	CVT車				
カローラクロス COROLLA CROSS	1800	ZVG13.ZVG16	2ZR-FXE	23/10-	5.5	4.4	1.24	1.76	2.64					
					1.5	1.2	0.34	0.48	0.72	PCU冷却液				
	1800	ZVG11.ZVG15	2ZR-FXE	21/09-23/09	5.6	4.48	1.26	1.79	2.69					
					1.4	1.12	0.32	0.45	0.67	PCU冷却液				
1800	ZSG10	2ZR-FAE	21/09-23/09	5.8	4.64	1.31	1.86	2.78						
				2000	MXGA10	M20A-FKS	23/10-	6.4	5.12	1.44	2.05	3.07		
カローラスポーツ COROLLA SPORT	1200	NRE210H.NRE214H	8NR-FTS(TURBO)	18/06-22/09	6.3	5.04	1.42	2.02	3.02	MT車				
					6.5	5.2	1.46	2.08	3.12	CVT車				
					1.9	1.52	0.43	0.61	0.91	インタークーラー用				
	1800	ZWE219H	2ZR-FXE(HYBRID)	22/10-	5.4	4.32	1.22	1.73	2.59					
					1.4	1.12	0.32	0.45	0.67	PCU冷却液				
	1800	ZWE211H、ZWE213H	2ZR-FXE(HYBRID)	18/06-22/09	5.4	4.32	1.22	1.73	2.59					
1.4					1.12	0.32	0.45	0.67	PCU冷却液					
カローラツーリン グ COROLLA TOURING	1200	NRE210W	8NR-FTS(TURBO)	19/09-22/09	6.4	5.12	1.44	2.05	3.07					
					6.3	5.04	1.42	2.02	3.02					
	1500	MZE17W	M15A-FKS	22/10-	1.9	1.52	0.43	0.61	0.91	インタークーラー用				
					5.8	4.64	1.31	1.86	2.78					
	1800	ZWE219W,ZWE215W	2ZR-FXE(HYBRID)	22/10-	5.5	4.4	1.24	1.76	2.64					
					1.5	1.2	0.34	0.48	0.72	PCU冷却液				
カローラフィール ダー COROLLA FIELDER	1800	ZRE212W	2ZR-FAE	19/09-22/09	5.8	4.64	1.31	1.86	2.78					
					5.4	4.32	1.22	1.73	2.59					
	1800	ZWE211W,ZWE214W	2ZR-FXE(HYBRID)	19/09-22/09	1.9	1.52	0.43	0.61	0.91	PCU冷却液				
					6.3	5.04	1.42	2.02	3.02					
カローラフィール ダー COROLLA FIELDER	1500	NRE161G	2NR-FKE	15/4～	5.8	4.64	1.31	1.86	2.78					
					5.9	4.72	1.33	1.89	2.83					
	1500	NKE165G	1NZ-FXE(HYBRID)	13/8～	5.6	4.48	1.26	1.79	2.69	MT車				
					5.8	4.64	1.31	1.86	2.78	CVT車				
	1800	ZRE142G.ZRE144G	2ZR-FAE	12/5～19/8	5.9	4.72	1.33	1.89	2.83					
					5.9	4.72	1.33	1.89	2.83					
1800	ZRE142G.ZRE144G	2ZR-FE	06/10～12/4	5.9	4.72	1.33	1.89	2.83						
				5.9	4.72	1.33	1.89	2.83						

	1500	NZE122G.NZE124G	1NZ-FE	00/8～06/9	5.9	4.72	1.33	1.89	2.83	MT車
					5.9	4.72	1.33	1.89	2.83	AT車
	1800	ZZE122G	1ZZ-FE	00/8～06/9	6.5	5.2	1.46	2.08	3.12	MT車
					6.8	5.44	1.53	2.18	3.26	AT車
	1800	ZZE124G	1ZZ-FE	00/8～06/9	6.5	5.2	1.46	2.08	3.12	4WD
1800	ZZE123G	2ZZ-GE	00/8～06/9	6.7	5.36	1.51	2.14	3.22		
カローラルミオン	1800	ZRE152N.ZRE154N	2ZR-FAE	09/12～	5.8	4.64	1.31	1.86	2.78	
COROLLA RUMION	1500	NZE151N	1NZ-FE	07/10～	5.5	4.4	1.24	1.76	2.64	
	1800	ZRE152N.ZRE154N	2ZR-FE	07/10～09/8	5.8	4.64	1.31	1.86	2.78	
クラウン CROWN	2000	ARS220	8AR-FTS(TURBO)	18/6～22/6	8.5	6.8	1.91	2.72	4.08	
					3.4	2.72	0.77	1.09	1.63	インタークーラー用
	2400	TZSH35	T24A-FTS(HYBRID)	22/7～	9.2	7.36	2.07	2.94	4.42	
					5.2	4.16	1.17	1.66	2.50	インタークーラー/PCU用
	2500	AZSH39W	A25A-FXS(HYBRID)	25/3～	7.2	5.76	1.62	2.30	3.46	
					2	1.6	0.45	0.64	0.96	PCU冷却液
	2500	AZSH38W	A25A-FXS(HYBRID)	25/3～	6.5	5.2	1.46	2.08	3.12	
					2	1.6	0.45	0.64	0.96	PCU冷却液
	2500	AZSH37W	A25A-FXS(HYBRID)	23/12～	7.2	5.76	1.62	2.30	3.46	
					2	1.6	0.45	0.64	0.96	PCU冷却液
	2500	AZSH32	A25A-FXS(HYBRID)	23/11～	8.8	7.04	1.98	2.82	4.22	
					2.3	1.84	0.52	0.74	1.10	PCU冷却液
	2500	AZSH36W	A25A-FXS(HYBRID)	23/10～	6	4.8	1.35	1.92	2.88	
					1.8	1.44	0.41	0.58	0.86	PCU冷却液
	2500	AZSH35	A25A-FXS(HYBRID)	22/7～	6	4.8	1.35	1.92	2.88	
					1.8	1.44	0.41	0.58	0.86	PCU冷却液
	2500	AZSH20.AZSH21	A25A-FXS(HYBRID)	18/6～22/6	7.7	6.16	1.73	2.46	3.70	
					2.3	1.84	0.52	0.74	1.10	PCU冷却液
	3500	GWS224	8GR-FXS(HYBRID)	18/6～22/6	10.3	8.24	2.32	3.30	4.94	
					2.3	1.84	0.52	0.74	1.10	PCU冷却液
	2000	ARS210	8AR-FTS(TURBO)	15/10～18/5	8	6.4	1.80	2.56	3.84	
					3.1	2.48	0.70	0.99	1.49	インタークーラー用
	2500	GRS210.GRS211	4GR-FSE(D-4)	12/12～18/5	11	8.8	2.48	3.52	5.28	
					8.2	6.56	1.85	2.62	3.94	
	2500	AWS210.AWS211	4AR-FSE(D-4)(HYBRID)	12/12～18/5	2.2	1.76	0.50	0.70	1.06	PCU冷却液
					3500	GRS214	2GR-FSE(D-4)	12/12～18/5	9.8	7.84
	2500	GRS200.GRS201	4GR-FSE(D-4)	08/2～12/12	9.4	7.52	2.12	3.01	4.51	
					3000	GRS202.GRS203	3GR-FSE(D-4)	08/2～12/12	9.4	7.52
	3500	GRS204	2GR-FSE(D-4)	08/2～12/12	9.2	7.36	2.07	2.94	4.42	
					3500	GRS184	2GR-FSE(D-4)	05/10～08/1	9.1	7.28
	2500	GRS180.GRS181	4GR-FSE(D-4)	03/12～08/01	9.1	7.28	2.05	2.91	4.37	
					3000	GRS182	3GR-FSE(D-4)	03/12～05/9	9.1	7.28
クラウンマジェ スタ CROWN MAJESTA	2500	AWS215	2AR-FSE(D-4)(HYBRID)	14/7～	8.4	6.72	1.89	2.69	4.03	
					2.2	1.76	0.50	0.70	1.06	PCU冷却液
	3500	GWS214	2GR-FXE(D-4)(HYBRID)	13/9～	9.6	7.68	2.16	3.07	4.61	
					2.9	2.32	0.65	0.93	1.39	PCU冷却液
4300	UZS186.UZS187	3UZ-FE	04/7～09/03	10.7	8.56	2.41	3.42	5.14		
クルーガー KLUGER	3300	MHU28W	3MZ-FE(HYBRID)	05/3～07/5	10.3	8.24	2.32	3.30	4.94	リアヒーター無
					11.7	9.36	2.63	3.74	5.62	リアヒーター有
					3.4	2.72	0.77	1.09	1.63	インバーター冷却液
	2400	ACU20W.AC25W	2AZ-FE	01/11～07/5	6.4	5.12	1.44	2.05	3.07	リアヒーター無
					7.8	6.24	1.76	2.50	3.74	リアヒーター有
3000	MCU20W.MCU25W	1MZ-FE	01/11～07/5	9.4	7.52	2.12	3.01	4.51	リアヒーター無	
				10.8	8.64	2.43	3.46	5.18	リアヒーター有	
クレスタ CRESTA	2500	JZX100	1JZ-GE	96/9～01/6	6.9	5.52	1.55	2.21	3.31	
	2500	JZX105	1JZ-GE	96/9～01/6	7.6	6.08	1.71	2.43	3.65	4WD
	2500	JZX100	1JZ-GTE	96/9～01/6	8.4	6.72	1.89	2.69	4.03	
	3000	JZX101	2JZ-GE	96/9～01/6	7.4	5.92	1.67	2.37	3.55	
	2500	JZX90	1JZ-GE	92/10～96/9	6.9	5.52	1.55	2.21	3.31	
	2500	JZX90	1JZ-GTE	92/10～96/9	8.4	6.72	1.89	2.69	4.03	
3000	JZX91	2JZ-GE	92/10～96/9	7.4	5.92	1.67	2.37	3.55		
グランエース GRANACE	2800	GDH303W	1GD-FTV	19/11～	12.8	10.24	2.88	4.10	6.14	
					2.2	1.76	0.50	0.70	1.06	インタークーラー用
コペン GR SPORT COPEN GR SPORT	660	LA400A	KF-VET(TURBO)	19/10～	3	2.4	0.68	0.96	1.44	
サクシード SUCCEED	1500	NHP160V	1NZ-FXE(HYBRID)	18/11～20/5	4.5	3.6	1.01	1.44	2.16	
					1.6	1.28	0.36	0.51	0.77	インバーター冷却液
	1500	NCP160V.NCP165V	1NZ-FE	14/8～20/5	5	4	1.13	1.60	2.40	
1500	NCP58.NCP59G	1NZ-FE	02/7～13/10	4.3	3.44	0.97	1.38	2.06		
シエンタ SIENTA	1500	MXPL10G.MXPL15G	M15A-FXE(HYBRID)	22/8～	4.9	3.92	1.10	1.57	2.35	
					1.6	1.28	0.36	0.51	0.77	PCU冷却液
	1500	MXPC10G	M15A-FKS	22/8～	5.2	4.16	1.17	1.66	2.50	
					5	4	1.13	1.60	2.40	
	1500	NHP170G	1NZ-FXE(HYBRID)	15/6～22/7	1.8	1.44	0.41	0.58	0.86	インバーター冷却液
					4.9	3.92	1.10	1.57	2.35	
1500	NCP175G	1NZ-FE	15/6～22/7	4.7	3.76	1.06	1.50	2.26		
1500	NCP81G	1NZ-FE	03/9～15/5	4.9	3.92	1.10	1.57	2.35		

	1500	NCP85G	1NZ-FE	03/9～15/5	4.3	3.44	0.97	1.38	2.06	
ジャパンタクシー JPN TAXI	1500	NTP10	1NZ-FXP	17/10～	5.7	4.56	1.28	1.82	2.74	
					1.5	1.2	0.34	0.48	0.72	インバーター冷却液
スーブラ SUPRA	3000	JZA80	2JZ-GE	93/5～02/8	7.3	5.84	1.64	2.34	3.50	MT車
					8.3	6.64	1.87	2.66	3.98	AT車
	3000	JZA80	2JZ-GTE	93/5～02/8	9.5	7.6	2.14	3.04	4.56	MT車
					9.5	7.6	2.14	3.04	4.56	AT車
スベイド SPADE	1500	NSP141	2NR-FKE	15/7～21/1	4.9	3.92	1.10	1.57	2.35	
	1300	NSP140	1NR-FE	12/7～15/6	4.7	3.76	1.06	1.50	2.26	
	1500	NCP141	1NZ-FE	12/7～15/6	5	4	1.13	1.60	2.40	
	1500	NCP145	1NZ-FE	12/7～21/1	5	4	1.13	1.60	2.40	
セリカ CELICA	1800	ZZT231	2ZZ-GE	99/9～06/4	5.9	4.72	1.33	1.89	2.83	MT車
					5.8	4.64	1.31	1.86	2.78	AT車
	1800	ZZT230	1ZZ-FE	99/9～06/4	5.7	4.56	1.28	1.82	2.74	MT車
					5.6	4.48	1.26	1.79	2.69	AT車
セルシオ CELSIOR	4300	UCF30.UCF31	3UZ-FE	00/8～06/5	9.5	7.6	2.14	3.04	4.56	
	4000	UCF20.UCF21	1UZ-FE	94/10～00/8	11	8.8	2.48	3.52	5.28	
	4000	UCF10.UCF11	1UZ-FE	89/11～94/10	10.6	8.48	2.39	3.39	5.09	
センチュリー CENTURY	3500	GRG75	2GR-FKS(HYBRID)	23/10～	12.4	9.92	2.79	3.97	5.95	
					5.5	4.4	1.24	1.76	2.64	PCU冷却液
					11.1	8.88	2.50	3.55	5.33	
	5000	UWG60	2UR-FSE(HYBRID)	18/6～	2.5	2	0.56	0.80	1.20	PCU冷却液
					11	8.8	2.48	3.52	5.28	
ソアラ SOARER	4300	UZZ40	3UZ-FE	01/4～05/6	9.9	7.92	2.23	3.17	4.75	
	3000	JZZ31	2JZ-GE	94/1～01/3	8.4	6.72	1.89	2.69	4.03	
	2500	JZZ30	1JZ-GTE	91/5～01/3	8.8	7.04	1.98	2.82	4.22	MT車
					8.7	6.96	1.96	2.78	4.18	AT車
	4000	UZZ30.UZZ31.UZZ32	1UZ-FE	91/5～01/3	10.9	8.72	2.45	3.49	5.23	
タンク TANK	1000	M900A.M910A	1KR-FE	16/11～	4.4	3.52	0.99	1.41	2.11	
	1000	M900A	1KR-VET	16/11～	5	4	1.13	1.60	2.40	
チェイサー CHASER	2500	JZX100	1JZ-GE	96/9～01/6	6.9	5.52	1.55	2.21	3.31	
	2500	JZX105	1JZ-GE	96/9～01/6	7.6	6.08	1.71	2.43	3.65	4WD
					7.7	6.16	1.73	2.46	3.70	MT車
					8.4	6.72	1.89	2.69	4.03	AT車
	2500	JZX100	1JZ-GTE	96/9～01/6	7.4	5.92	1.67	2.37	3.55	
	3000	JZX101	2JZ-GE	96/9～01/6	7.4	5.92	1.67	2.37	3.55	
	2500	JZX90	1JZ-GE	92/10～96/9	6.9	5.52	1.55	2.21	3.31	
	2500	JZX90	1JZ-GTE	92/10～96/9	8.4	6.72	1.89	2.69	4.03	
ノア NOAH	1800	ZWR90G.ZWR95G	2ZR-FXE(HYBRID)	22/1～	5.5	4.4	1.24	1.76	2.64	リアエアコン無
					6.6	5.28	1.49	2.11	3.17	リアエアコン有
					1.6	1.28	0.36	0.51	0.77	PCU冷却液
	1800	ZWR80G	2ZR-FXE(HYBRID)	14/1～21/12	5.7	4.56	1.28	1.82	2.74	リアエアコン無
					7.5	6	1.69	2.40	3.60	リアエアコン有
					2.9	2.32	0.65	0.93	1.39	インバーター冷却液
	2000	MZRA90W.MZRA95W	M20A-FKS	22/1～	6.4	5.12	1.44	2.05	3.07	リアエアコン無
					7.4	5.92	1.67	2.37	3.55	リアエアコン有
	2000	ZRR80G.ZRR85G	3ZR-FAE(VALVE MATIC)	14/1～21/12	6.1	4.88	1.37	1.95	2.93	リアエアコン無
		ZRR80W.ZRR85W			7.9	6.32	1.78	2.53	3.79	リアエアコン有
	2000	ZRR70G.ZRR70W	3ZR-FE	07/6～14/1	6.6	5.28	1.49	2.11	3.17	リアヒーター無
		ZRR75G.ZRR75W			8.6	6.88	1.94	2.75	4.13	リアヒーター有
	2000	ZRR70W.ZRR75W	3ZR-FAE(VALVE MATIC)	07/6～14/1	6.6	5.28	1.49	2.11	3.17	リアヒーター無
					8.6	6.88	1.94	2.75	4.13	リアヒーター有
	2000	AZR60G.AZR65G	1AZ-FSE(D-4)	01/11～07/6	6.8	5.44	1.53	2.18	3.26	リアヒーター無
					7.5	6	1.69	2.40	3.60	リアヒーター有
ハイエース HIACE	2800	2.8ディーゼル車	1GD-FTV	17/11～	13.9	11.12	3.13	4.45	6.67	リヤヒーター無
					15.9	12.72	3.58	5.09	7.63	リヤヒーター有
	3000	3.0ディーゼル車	1KD-FTV	13/12～17/11	14.2	11.36	3.20	4.54	6.82	リヤヒーター無
					16.2	12.96	3.65	5.18	7.78	リヤヒーター有
	3000	3.0ディーゼル車	1KD-FTV	07/8～13/12	15	12	3.38	4.80	7.20	リヤヒーター無
					17	13.6	3.83	5.44	8.16	リヤヒーター有
	2500	2.5ディーゼル車	2KD-FTV	05/1～07/8	14.2	11.36	3.20	4.54	6.82	リヤヒーター無
					16.2	12.96	3.65	5.18	7.78	リヤヒーター有
	2000	2.0ガソリン車	1TR-FE	04/8～	11.2	8.96	2.52	3.58	5.38	リヤヒーター無
					13.2	10.56	2.97	4.22	6.34	リヤヒーター有
ハイラックス HILUX	2700	2.7ガソリン車	2TR-FE	04/8～	11.2	8.96	2.52	3.58	5.38	リヤヒーター無
					13.2	10.56	2.97	4.22	6.34	リヤヒーター有
	2400	GUN125	2GD-FTV	17/9～	9.6	7.68	2.16	3.07	4.61	
ハイラックスサーフ HILUX SURF	4000	GRN215W	1GR-FE	05/7～09/8	9.8	7.84	2.21	3.14	4.70	
	2700	TRN210W.TRN215W	2TR-FE	04/8～09/8	8.1	6.48	1.82	2.59	3.89	
	3400	VZN210W.VZN215W	5VZ-FE	02/10～05/6	9	7.2	2.03	2.88	4.32	
	3000	KDN215W	1KD-FTV	02/10～05/6	11.2	8.96	2.52	3.58	5.38	
	2700	RZN210W.RZN215W	3RZ-FE	02/10～04/7	7.1	5.68	1.60	2.27	3.41	
ハリアー HARRIER	2500	AXUP85	A25A-FXS(HYBRID)	22/9～	7.3	5.84	1.64	2.34	3.50	
					2	1.6	0.45	0.64	0.96	PCU冷却液
	2500	AXUH80.AXUH85	A25A-FXS(HYBRID)	20/6～	6.7	5.36	1.51	2.14	3.22	
					2	1.6	0.45	0.64	0.96	PCU冷却液
	2000	MXUA80.MXUA85	M20A-FKS	20/6～	6.9	5.52	1.55	2.21	3.31	

	2000	ASU60W.ASU65W	8AR-FTS(TURBO)	17/6～20/5	7.9	6.32	1.78	2.53	3.79	
					3.3	2.64	0.74	1.06	1.58	
	2500	AVU65W	2AR-FXE(HYBRID)	14/1～20/5	6.9	5.52	1.55	2.21	3.31	
					3.4	2.72	0.77	1.09	1.63	
	2000	ZSU60W.ZSU65W	3ZR-FAE	13/11～20/5	5.9	4.72	1.33	1.89	2.83	
					10.3	8.24	2.32	3.30	4.94	
	3300	MHU38W	3MZ-FE(HYBRID)	05/3～12/12	3.4	2.72	0.77	1.09	1.63	
					8.4	6.72	1.89	2.69	4.03	
PASSO	3500	GSU31W.GSU35W	2GR-FE	05/3～08/11	6.2	4.96	1.40	1.98	2.98	
	2400	ACU30W.ACU35W	2AZ-FE	03/2～11/10	9.4	7.52	2.12	3.01	4.51	
	3000	MCU30W.MCU31W	1MZ-FE	03/2～05/12						
		MCU35W.MCU36W								
PASSO	1000	M700A.M710A	1KR-FE	16/4～	4.3	3.44	0.97	1.38	2.06	
	1300	NGC30	1NR-FE	10/2～16/3	4.5	3.6	1.01	1.44	2.16	
	1000	KGC30.KGC35	1KR-FE	10/2～16/3	4.3	3.44	0.97	1.38	2.06	
	1000	KGC10.KGC15	1KR-FE	04/6～10/2	3.9	3.12	0.88	1.25	1.87	
PASSO SETTE	1300	QNC10	K3-VE	04/6～10/2	4.1	3.28	0.92	1.31	1.97	
	1500	M502E.M512E	3SZ-VE	08/12～12/3	4.5	3.6	1.01	1.44	2.16	
PIXIS EPOCH	660	LA350A.LA360A	KF-VE	17/5～	2.9	2.32	0.65	0.93	1.39	
	660	LA300A.LA310A	KF-VE	12/5～17/4	3.2	2.56	0.72	1.02	1.54	
PIXIS JOY	660	LA250A.LA260A	KF-VE	16/9～23/7	3.4	2.72	0.77	1.09	1.63	
	660	LA250A.LA260A	KF-VET(TURBO)	16/9～23/7	3.5	2.8	0.79	1.12	1.68	
PIXIS SPACE	660	L575A.L585A	KF-VE	11/9～16/12	3.3	2.64	0.74	1.06	1.58	
	660	L575A.L585A	KF-DET(DOHC,TURBO)	11/9～16/12	3	2.4	0.68	0.96	1.44	
PIXIS TRUCK	660	S500U.S510U	KF-VE	14/9～	3.6	2.88	0.81	1.15	1.73	
					3.7	2.96	0.83	1.18	1.78	
	660	S201U.S211U	KF-VE	11/12～14/8	3.8	3.04	0.86	1.22	1.82	
PIXIS VAN	660	S700M.S710M	KF-VE	21/12～	5.7	4.56	1.28	1.82	2.74	
					5.8	4.64	1.31	1.86	2.78	
	660	S700M.S710M	KE-VET	21/12～	5.7	4.56	1.28	1.82	2.74	
					6.1	4.88	1.37	1.95	2.93	
	660	S321M.S331M	KF-DET(DOHC,TURBO)	11/12～21/11	5.9	4.72	1.33	1.89	2.83	
					5.8	4.64	1.31	1.86	2.78	
	660	S321M.S331M	KF-VE	11/12～21/11	5.7	4.56	1.28	1.82	2.74	
					5.6	4.48	1.26	1.79	2.69	
PIXIS MEGA	660	LA700A.LA710A	KF-VE	15/7～22/9	3.5	2.8	0.79	1.12	1.68	
	660	LA700A.LA710A	KF-VET(TURBO)	15/7～22/9	3.5	2.8	0.79	1.12	1.68	
PRIUS	1800	ZVW60.ZVW65	2ZR-FXE(HYBRID)	23/1～	5.5	4.4	1.24	1.76	2.64	
					1.5	1.2	0.34	0.48	0.72	
	1800	ZVW50.ZVW51.ZVW55	2ZR-FXE(HYBRID)	15/12～22/12	6	4.8	1.35	1.92	2.88	
					1.4	1.12	0.32	0.45	0.67	
	1800	ZVW30	2ZR-FXE(HYBRID)	09/5～	7.2	5.76	1.62	2.30	3.46	
					2.1	1.68	0.47	0.67	1.01	
	2000	MXWH61	M20A-FXS(HYBRID)	23/3～	6.1	4.88	1.37	1.95	2.93	
					1.6	1.28	0.36	0.51	0.77	
	2000	MXWH60.MXWH65	M20A-FXS(HYBRID)	23/1～	6.1	4.88	1.37	1.95	2.93	
					1.6	1.28	0.36	0.51	0.77	
	1500	NHW20	1NZ-FXE(HYBRID)	03/9～09/5	5.3	4.24	1.19	1.70	2.54	
					2.7	2.16	0.61	0.86	1.30	
PRIUS α	1800	ZVW40W.ZVW41W	2ZR-FXE(HYBRID)	11/6～21/3	6.9	5.52	1.55	2.21	3.31	
					2.7	2.16	0.61	0.86	1.30	
PRIUS PHV	1800	ZVW52	2ZR-FXE(HYBRID)	17/2～22/12	6	4.8	1.35	1.92	2.88	
					1.5	1.2	0.34	0.48	0.72	
	1800	ZVW35	2ZR-FXE(HYBRID)	11/11～17/1	7.2	5.76	1.62	2.30	3.46	
					2.1	1.68	0.47	0.67	1.01	
BLADE	2400	AZE154H.AZE156H	2AZ-FE	06/12～12/4	6.2	4.96	1.40	1.98	2.98	
BLADE MASTER	3500	GRE156H	2GR-FE	07/9～12/4	8.7	6.96	1.96	2.78	4.18	
BREVIS	2500	JCG10.JCG15	1JZ-FSE(D-4)	01/4～07/6	7	5.6	1.58	2.24	3.36	
	3000	JCG11	2JZ-FSE(D-4)	01/4～07/6	7.2	5.76	1.62	2.30	3.46	
PROBOX	1500	NHP160V	1NZ-FXE(HYBRID)	18/11～	4.5	3.6	1.01	1.44	2.16	
					1.6	1.28	0.36	0.51	0.77	
	1300	NSP160V	1NR-FE	14/8～	4.7	3.76	1.06	1.50	2.26	
	1500	NCP160V.NCP165V	1NZ-FE	14/8～	5	4	1.13	1.60	2.40	
	1400	NLP51V	1ND-TV	05/1～08/10	4.4	3.52	0.99	1.41	2.11	
					4.4	3.52	0.99	1.41	2.11	
	1500	NCP58G.NCP59G	1NZ-FE	02/7～14/7	4.3	3.44	0.97	1.38	2.06	
					4.5	3.6	1.01	1.44	2.16	
	1300	NCP50V	2NZ-FE	02/7～14/7	4.4	3.52	0.99	1.41	2.11	
					4.4	3.52	0.99	1.41	2.11	
	1500	NCP51V.NCP55V	1NZ-FE	02/7～14/7	4.3	3.44	0.97	1.38	2.06	
PORTE	1500	NSP141	2NR-FKE	15/7～21/1	4.9	3.92	1.10	1.57	2.35	
	1300	NSP140	1NR-FE	12/7～15/6	4.7	3.76	1.06	1.50	2.26	
	1500	NCP141	1NZ-FE	12/7～15/6	5	4	1.13	1.60	2.40	
	1500	NCP145	1NZ-FE	12/7～21/1	5	4	1.13	1.60	2.40	
	1300	NNP10	2NZ-FE	04/7～12/6	4.4	3.52	0.99	1.41	2.11	
	1500	NNP11.NNP15	1NZ-FE	04/7～12/6	4.3	3.44	0.97	1.38	2.06	

マークII MARK II	2500	JZX110	1JZ-FSE(D-4)	00/10～04/11	6.9	5.52	1.55	2.21	3.31	
	2500	JZX110	1JZ-GTE	00/10～04/11	7.7	6.16	1.73	2.46	3.70	MT車
					8.4	6.72	1.89	2.69	4.03	AT車
	2500	JZX100	1JZ-GE	96/9～01/6	6.9	5.52	1.55	2.21	3.31	
	2500	JZX105	1JZ-GE	96/9～01/6	7.6	6.08	1.71	2.43	3.65	4WD
	2500	JZX100	1JZ-GTE	96/9～01/6	7.7	6.16	1.73	2.46	3.70	MT車
					8.4	6.72	1.89	2.69	4.03	AT車
	3000	JZX101	2JZ-GE	96/9～01/6	7.4	5.92	1.67	2.37	3.55	
	2500	JZX90	1JZ-GE	92/10～96/9	6.9	5.52	1.55	2.21	3.31	
	2500	JZX90	1JZ-GTE	92/10～96/9	8.4	6.72	1.89	2.69	4.03	
3000	JZX91	2JZ-GE	92/10～96/9	7.4	5.92	1.67	2.37	3.55		
マークIIブリット MARK II BLIT	2000	GX110W	1G-FE	02/1～07/5	6.5	5.2	1.46	2.08	3.12	
	2000	GX115W	1G-FE	02/1～07/5	7.2	5.76	1.62	2.30	3.46	4WD
	2500	JZX115W	1JZ-GE	02/1～07/5	7.6	6.08	1.71	2.43	3.65	
	2500	JZX110W	1JZ-FSE(D-4)	02/1～07/5	6.9	5.52	1.55	2.21	3.31	
	2500	JZX110W	1JZ-GTE	02/1～07/5	8.4	6.72	1.89	2.69	4.03	
マーク X MARK X	2500	GRX130.GRX135	4GR-FSE(D-4)	09/10～	9.4	7.52	2.12	3.01	4.51	
	3500	GRX133	2GR-FSE(D-4)	09/10～	9.2	7.36	2.07	2.94	4.42	
	2500	GRX120.GRX125	4GR-FSE(D-4)	04/11～09/10	9.1	7.28	2.05	2.91	4.37	
	3000	GRX121	3GR-FSE(D-4)	04/11～09/10	9.1	7.28	2.05	2.91	4.37	
マーク X ジオ MARK X ZIO	2400	ANA10.ANA15	2AZ-FE	07/9～13/11	6.2	4.96	1.40	1.98	2.98	
	3500	GGA10	2GR-FE	07/9～13/11	8.7	6.96	1.96	2.78	4.18	
ヤリス YARIS	1000	KSP210	1KR-FE	20/2～	4.9	3.92	1.10	1.57	2.35	
	1500	MXPA10.MXPA15	M15A-FKS	20/2～	5	4	1.13	1.60	2.40	MT車
					5.1	4.08	1.15	1.63	2.45	CVT車
	1500	MXPH10.MXPH15	M15A-FXE(HYBRID)	20/2～	5.1	4.08	1.15	1.63	2.45	
					1.6	1.28	0.36	0.51	0.77	PCU冷却液
ヤリスクロス YARIS CROSS	1500	MXPB10.MXPB15	M15A-FKS	20/8～	4.7	3.76	1.06	1.50	2.26	
	1500	MXPJ10.MXPJ15	M15A-FXE(HYBRID)	20/8～	4.6	3.68	1.04	1.47	2.21	
					1.6	1.28	0.36	0.51	0.77	PCU冷却液
ライズ RAIZE	1000	A200A.A210A	1KR-VET	19/11～	4.7	3.76	1.06	1.50	2.26	
	1200	A201A	WA-FE	21/11～	4.2	3.36	0.95	1.34	2.02	
	1200	A202A	WA-FEX	21/11～	4.1	3.28	0.92	1.31	1.97	
					2.1	1.68	0.47	0.67	1.01	PCU冷却液
ラクティス RACTIS	1300	NSP120.NSP122	1NR-FKE	14/5～16/9	4.9	3.92	1.10	1.57	2.35	
	1300	NSP120.NSP122	1NR-FE	10/11～14/5	4.7	3.76	1.06	1.50	2.26	
	1500	NCP120.NCP122.NCP125	1NZ-FE	10/11～16/9	5	4	1.13	1.60	2.40	
	1300	SCP100	2SZ-FE	05/10～10/11	5.4	4.32	1.22	1.73	2.59	
	1500	NCP100	1NZ-FE	05/10～10/11	5.1	4.08	1.15	1.63	2.45	
	1500	NCP105	1NZ-FE	05/10～10/11	4.7	3.76	1.06	1.50	2.26	
ランドクルーザー 100 LANDCRUISER100	4200	HDJ101K	1HD-FTE	98/1～07/9	13.2	10.56	2.97	4.22	6.34	MT車
					13.8	11.04	3.11	4.42	6.62	AT車
	4700	UZJ100W	2UZ-FE	98/1～07/9	15.3	12.24	3.44	4.90	7.34	
ランドクルーザー 200 LANDCRUISER200	4600	URJ202W	1UR-FE	09/4～21/7	14.7	11.76	3.31	4.70	7.06	リアエアコン無
					17.5	14	3.94	5.60	8.40	リアエアコン有
	4700	UZJ200W	2UZ-FE	07/9～09/3	17.4	13.92	3.92	5.57	8.35	
ランドクルーザー 250 LANDCRUISER250	2700	TRJ250W	2TR-FE	24/4～	10	8	2.25	3.20	4.80	リアエアコン無
					12.4	9.92	2.79	3.97	5.95	リアエアコン有
	2800	GDJ250W	1GD-FTV	24/4～	12.2	9.76	2.75	3.90	5.86	リアエアコン無
					14.3	11.44	3.22	4.58	6.86	リアエアコン有
					3.8	3.04	0.86	1.22	1.82	インタークーラー用
ランドクルーザー 300 LANDCRUISER300	3300	FJA300W	F33A-FTV	21/8～	16	12.8	3.60	5.12	7.68	
					4	3.2	0.90	1.28	1.92	インタークーラー用
	3500	VJA300W	V35A-FTS	21/8～	12.4	9.92	2.79	3.97	5.95	リアエアコン無
					14.6	11.68	3.29	4.67	7.01	リアエアコン有
					3.8	3.04	0.86	1.22	1.82	インタークーラー用
ランドクルーザー 70 LANDCRUISER70	2800	GDJ76W	1GD-FTV	23/11～	11.1	8.88	2.50	3.55	5.33	
	4000	GRJ76K.GRJ79K	1GR-FE	14/8～15/6	11.8	9.44	2.66	3.78	5.66	
ランドクルーザー プラド LANDCURISER PRADO	2800	GDJ150W.GDJ151W	1GD-FTV	18/6～24/4	10.2	8.16	2.30	3.26	4.90	
					2.6	2.08	0.59	0.83	1.25	インタークーラー用
	2800	GDJ150W.GDJ151W	1GD-FTV	15/6～18/5	10	8	2.25	3.20	4.80	
	4000	GRJ150W.GRJ151W	1GR-FE	09/9～15/5	11	8.8	2.48	3.52	5.28	
	2700	TRJ150W	2TR-FE	09/9～24/4	8.1	6.48	1.82	2.59	3.89	
	4000	GRJ120W.GRJ121W	1GR-FE	05/8～09/9	9.8	7.84	2.21	3.14	4.70	
	2700	TRJ120W.TRJ125W	2TR-FE	04/8～09/9	8.1	6.48	1.82	2.59	3.89	
	3000	KDJ120W.KDJ121W.KDJ125W	1KD-FTV	04/8～09/9	11.2	8.96	2.52	3.58	5.38	
	3400	VZJ120W.VZJ121W.VZJ125W	5VZ-FE	02/10～05/7	9	7.2	2.03	2.88	4.32	
2700	RZJ120W.RZJ125W	3RZ-FE	02/10～04/7	7.1	5.68	1.60	2.27	3.41		

ルーミー ROOMY	1000	M900A.M910A	1KR-FE	16/11～	4.4	3.52	0.99	1.41	2.11	
	1000	M900A	1KR-VET	16/11～	5	4	1.13	1.60	2.40	
レジアスエース REGIUS ACE	2800	2.8ディーゼル車	1GD-FTV	17/11～20/4	13.9	11.12	3.13	4.45	6.67	リヤヒーター無
					15.9	12.72	3.58	5.09	7.63	リヤヒーター有
	3000	3.0ディーゼル車	1KD-FTV	13/12～17/11	14.2	11.36	3.20	4.54	6.82	リヤヒーター無
					16.2	12.96	3.65	5.18	7.78	リヤヒーター有
	3000	3.0ディーゼル車	1KD-FTV	07/8～13/12	14.2	11.36	3.20	4.54	6.82	リヤヒーター無
					16.2	12.96	3.65	5.18	7.78	リヤヒーター有
	2500	2.5ディーゼル車	2KD-FTV	05/1～07/8	14.2	11.36	3.20	4.54	6.82	リヤヒーター無
					16.2	12.96	3.65	5.18	7.78	リヤヒーター有
	2000	2.0ガソリン車	1TR-FE	04/8～	11.2	8.96	2.52	3.58	5.38	リヤヒーター無
					13.2	10.56	2.97	4.22	6.34	リヤヒーター有
	2700	2.7ガソリン車	2TR-FE	04/8～	11.2	8.96	2.52	3.58	5.38	リヤヒーター無
					13.2	10.56	2.97	4.22	6.34	リアヒーター有