

SUZUKI

※実車上で交換可能なクーラント量は全容量の80％程度となります。

車両	排気量	車両型式	エンジン	年式	冷却水全量A	Aの80%量	31%(-15度)になる 抜量	全交換 40%クー ラント量	全交換 40%の水 量	備考
Kei (SPORTS,WO RKS)	660	HN22S	K6A(DOHC,TURBO)	01/4～09/10	3.2	2.56	0.72	1.02	1.54	MT
					3.5	2.8	0.79	1.12	1.68	AT
	660	HN22S	K6A(DOHC,VVT)	01/4～09/10	3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
	660	HN21S	K6A(DOHC,TURBO)	98/10～01/3	3.2	2.56	0.72	1.02	1.54	MT
					3.5	2.8	0.79	1.12	1.68	AT
660	HN21S	K6A(DOHC)	98/10～01/3	3	2.4	0.68	0.96	1.44	MT	
				3.3	2.64	0.74	1.06	1.58	AT	
MRワゴン	660	MF33S	R06A(NA)	11/1～	3.3	2.64	0.74	1.06	1.58	
MR WAGON	660	MF33S	R06A(TURBO)	11/1～	3.4	2.72	0.77	1.09	1.63	
	660	MF22S	K6A(DOHC,TURBO)	06/1～10/12	3.5	2.8	0.79	1.12	1.68	
	660	MF22S	K6A(DOHC,VVT)	06/1～10/12	3.3	2.64	0.74	1.06	1.58	
	660	MF21S	K6A(DOHC,TURBO)	01/12～05/12	3.5	2.8	0.79	1.12	1.68	
	660	MF21S	K6A(DOHC,VVT)	01/12～05/12	3.3	2.64	0.74	1.06	1.58	
SX4	1600	YA22S.YB22S	M16A(DOHC,VVT)	15/2～21/11	6.1	4.88	1.37	1.95	2.93	
	2000	YA41S.YB41S	J20A	06/7～09/4	6.3	5.04	1.42	2.02	3.02	
	1500	YA11S.YB11S	M15A(DOHC)	06/7～15/1	7.5	6	1.69	2.40	3.60	
SX4 S- CROSS	1600	YA22S.YB22S	M16A(DOHC,VVT)	15/2～21/11	6.1	4.88	1.37	1.95	2.93	
アルト ALTO	660	HA97S	R06D	21/12～	3.1	2.48	0.70	0.99	1.49	ハイブリット
	660	HA37S	R06A	21/12～	3.3	2.64	0.74	1.06	1.58	
	660	HA36S	R06A(TURBO)	15/3～21/11	3	2.4	0.68	0.96	1.44	
	660	HA36S	R06A(NA)	14/12～21/11	3	2.4	0.68	0.96	1.44	MT, AGS
					3.2	2.56	0.72	1.02	1.54	CVT
	660	HA35S	R06A(NA)	11/2～14/12	3.2	2.56	0.72	1.02	1.54	
					3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
	660	HA25S	K6A(DOHC)	09/12～14/12	3.2	2.56	0.72	1.02	1.54	CVT
					3	2.4	0.68	0.96	1.44	MT
660	HA24S	K6A(4VALVE・DOHC)	04/9～09/12	3	2.4	0.68	0.96	1.44	MT	
				3.3	2.64	0.74	1.06	1.58	AT	
アルトバン ALTO VAN	660	HA36V	R06A(NA)	14/12～21/11	3	2.4	0.68	0.96	1.44	
	660	HA25V	K6A(DOHC)	09/12～14/12	3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
	660	HA24V	K6A(4VALVE・DOHC)	05/1～09/12	3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
アルトラパン ALTO LAPIN	660	HE21S	K6A(DOHC・TURBO)	02/10～08/11	3.2	2.56	0.72	1.02	1.54	MT
					3.5	2.8	0.79	1.12	1.68	AT
	660	HE21S	K6A(DOHC)	02/1～08/11	3.3	2.64	0.74	1.06	1.58	
イグニス IGNIS	1200	FF21S	K12C	16/1～	4.2	3.36	0.95	1.34	2.02	
エスクード ESCUDO	1400	YEA1S	K14C(TURBO)	17/7～	5.7	4.56	1.28	1.82	2.74	
	1600	YD21S	M16A	15/10～	6.2	4.96	1.40	1.98	2.98	
					7.3	5.84	1.64	2.34	3.50	MT
	2400	TDA4W	J24B	08/6～	7.2	5.76	1.62	2.30	3.46	AT
					8.2	6.56	1.85	2.62	3.94	
	3200	TDB4W	N32A(DOHC)	08/6～15/9	8.2	6.56	1.85	2.62	3.94	
	1600	TA74W	M16A(DOHC,VVT)	06/6～08/5	7	5.6	1.58	2.24	3.36	
	2000	TD54W	J20A(DOHC)	05/5～08/5	7.3	5.84	1.64	2.34	3.50	MT
					7.2	5.76	1.62	2.30	3.46	AT
2700	TD94W	H27A(DOHC)	05/5～08/5	8.2	6.56	1.85	2.62	3.94		
2000	TL52W	J20A(DOHC)	00/4～05/4	6.5	5.2	1.46	2.08	3.12		
エブリィ EVERY	660	DA17V,DA17W	R06A(TURBO)	15/2～	5.5	4.4	1.24	1.76	2.64	MT
					5.4	4.32	1.22	1.73	2.59	AT
	660	DA17V,DA17W	R06A(NA)	15/2～	5.5	4.4	1.24	1.76	2.64	MT, AGS
					5.3	4.24	1.19	1.70	2.54	AT
	660	DA64V,DA64W	K6A(DOHC,TURBO)	05/8～15/1	6	4.8	1.35	1.92	2.88	MT
					6.2	4.96	1.40	1.98	2.98	AT
	660	DA64V,DA64W	K6A(DOHC)	05/8～15/1	5.9	4.72	1.33	1.89	2.83	MT
					5.8	4.64	1.31	1.86	2.78	AT
	660	DA62V,DA62W	K6A(DOHC,TURBO)	01/9～05/7	2.8	2.24	0.63	0.90	1.34	
2.8					2.24	0.63	0.90	1.34		
660	DA62V,DA62W	K6A(DOHC)	01/9～05/7	2.8	2.24	0.63	0.90	1.34		
エブリィラン ディ EVERY LANDY	1300	DA32W	G13B	01/5～05/6	6	4.8	1.35	1.92	2.88	
エリオ	1800	RC51S,RD51S	M18A(DOHC,VVT)	03/1～07/7	6.5	5.2	1.46	2.08	3.12	
AERIO	1500	RA21S,RB21S	M15A(DOHC)	01/1～07/7	6.5	5.2	1.46	2.08	3.12	

カプチーノ CAPPUCCINO	660	EA21R	K6A	95/5～98/1	5.3	4.24	1.19	1.70	2.54	
	660	EA11R	F6A	91/11～95/5	4	3.2	0.90	1.28	1.92	
キャリィ CARRY	660	DA16T	R06A(NA)	22/4～	3.7	2.96	0.83	1.18	1.78	MT
					3.8	3.04	0.86	1.22	1.82	AT
	660	DA16T	R06A(NA)	13/9～22/3	3.6	2.88	0.81	1.15	1.73	MT, AGS
					3.9	3.12	0.88	1.25	1.87	AT
	660	DA63T.DA65T	K6A(DOHC)	01/9～13/8	4.1	3.28	0.92	1.31	1.97	MT
					4.4	3.52	0.99	1.41	2.11	AT
クロスビー XBEE	1000	MN71S	K10C(TURBO)	17/12～	4.3	3.44	0.97	1.38	2.06	
グランドエスクード GRAND ESCUDO	2700	TX92W	H27A(DOHC)	00/12～05/5	8.2	6.56	1.85	2.62	3.94	
シボレークルーズ CHEVROLET CRUZE	1300	HR52S	M13A(DOHC)	03/11～08/6	4.6	3.68	1.04	1.47	2.21	
	1500	HR82S	M15A(DOHC)	03/11～08/6	4.6	3.68	1.04	1.47	2.21	
ジムニー JIMNY	660	JB64W	R06A(TURBO)	18/7～	4.8	3.84	1.08	1.54	2.30	
	660	JB23W	K6A(DOHC,TURBO)	98/10～18/6	4	3.2	0.90	1.28	1.92	
	660	JB23W	K6A(DOHC)	98/10～02/1	4	3.2	0.90	1.28	1.92	
ジムニーシエラ JIMNY SIERRA	1300	JB43W	M13A(DOHC)	14/8～18/6	5.9	4.72	1.33	1.89	2.83	
	1300	JB43W	M13A(DOHC)	02/1～14/7	5.2	4.16	1.17	1.66	2.50	
	1500	JB74W	K15B	18/7～	5	4	1.13	1.60	2.40	
スイフト SWIFT	1000	ZC13S	K10C(TURBO)	17/1～23/11	4.2	3.36	0.95	1.34	2.02	
	1200	ZCEDS.ZDEDS	Z12E(HYBRID)	23/12～	4.1	3.28	0.92	1.31	1.97	MT
					4.4	3.52	0.99	1.41	2.11	CVT
	1200	ZCDDS.ZDDDS	Z12E	23/12～	4.1	3.28	0.92	1.31	1.97	MT
					4.4	3.52	0.99	1.41	2.11	CVT
	1200	ZC43S	K12C(HYBRID)	17/7～23/11	4.8	3.84	1.08	1.54	2.30	
	1200	ZC83S.ZD83S	K12C	17/1～23/11	4.1	3.28	0.92	1.31	1.97	MT
					4.3	3.44	0.97	1.38	2.06	CVT
	1200	ZC53S.ZD53S	K12C(HYBRID)	17/1～23/11	4.1	3.28	0.92	1.31	1.97	MT
					4.3	3.44	0.97	1.38	2.06	CVT
	1200	ZC72S	K12B	10/8～16/12	4.5	3.6	1.01	1.44	2.16	MT
				10/8～16/12	4.8	3.84	1.08	1.54	2.30	CVT
	1200	ZD72S	K12B	10/8～16/12	4.8	3.84	1.08	1.54	2.30	CVT
	1200	ZC71S	K12B	07/5～10/8	5.1	4.08	1.15	1.63	2.45	
スイフトスポーツ SWIFT SPORTS	1400	ZC33S	K14C(TURBO)	17/9～	5.4	4.32	1.22	1.73	2.59	MT
					5.6	4.48	1.26	1.79	2.69	AT
	1600	ZC32S	M16A(DOHC,VVT)	11/11～17/8	6.4	5.12	1.44	2.05	3.07	
	1600	ZC31S	M16A(DOHC,VVT)	05/9～10/8	6.2	4.96	1.40	1.98	2.98	MT
					6.1	4.88	1.37	1.95	2.93	AT
スプラッシュ SPLASH	1200	XB32S	K12B	08/10～	4.5	3.6	1.01	1.44	2.16	
スペースシア SPACIA	660	MK54S	R06A(TURBO)	23/11～	3.2	2.56	0.72	1.02	1.54	
	660	MK94S	R06D(NA)	23/11～	3.1	2.48	0.70	0.99	1.49	
	660	MK53S	R06A(TURBO)	17/12～23/10	3.1	2.48	0.70	0.99	1.49	
	660	MK53S	R06A(NA)	17/12～23/10	3.3	2.64	0.74	1.06	1.58	
	660	MK42S	R06A(TURBO)	15/8～17/11	3.2	2.56	0.72	1.02	1.54	
	660	MK42S	R06A(NA)	15/5～17/11	3.2	2.56	0.72	1.02	1.54	
	660	MK32S	R06A(TURBO)	13/3～15/4	3.4	2.72	0.77	1.09	1.63	
	660	MK32S	R06A(NA)	13/3～15/4	3	2.4	0.68	0.96	1.44	
スペースシアベース SPACIA BASE	660	MK33V	R06A(NA)	22/8～	3.3	2.64	0.74	1.06	1.58	
スーパーキャリィ SUPER CARRY	660	DA16T	R06A(NA)	22/4～	3.7	2.96	0.83	1.18	1.78	MT
					3.8	3.04	0.86	1.22	1.82	AT
	660	DA16T	R06A(NA)	18/5～22/3	3.6	2.88	0.81	1.15	1.73	MT, AGS
					3.9	3.12	0.88	1.25	1.87	AT
セルボ	660	HG21S	K6A(DOHC,TURBO)	06/11～09/12	3.3	2.64	0.74	1.06	1.58	

CERVO	660	HG21S	K6A(DOHC)	06/11～09/12	3.5	2.8	0.79	1.12	1.68	
ソリオ	1200	MAD7S	Z12E(HYBRID)	25/1～	4.1	3.28	0.92	1.31	1.97	
SOLIO	1200	MA47S	K12C(HYBRID)	22/12～24/12	4.4	3.52	0.99	1.41	2.11	
	1200	MA27S	K12C	20/11～24/12	4.3	3.44	0.97	1.38	2.06	
	1200	MA37S	K12C(HYBRID)	20/11～24/12	4.3	3.44	0.97	1.38	2.06	ハイブリッド
	1200	MA26S	K12C	15/8～20/11	4.3	3.44	0.97	1.38	2.06	
	1200	MA36S,MA46S	K12C(HYBRID)	15/8～20/11	4.4	3.52	0.99	1.41	2.11	
	1200	MA15S	K12B	11/1～15/7	4.6	3.68	1.04	1.47	2.21	
	1300	MA34S	M13A(DOHC,VVT)	05/8～11/1	4.6	3.68	1.04	1.47	2.21	
ツイン TWIN	660	EC22S	K6A	03/1～05/8	3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
ハスラー HASTLER	660	MR52S	R06A(TURBO)	20/1～	3.1	2.48	0.70	0.99	1.49	
	660	MR92S	R06D(NA)	20/1～	3.1	2.48	0.70	0.99	1.49	
	660	MR41S	R06A(TURBO)	15/12～19/12	3.4	2.72	0.77	1.09	1.63	
	660	MR41S	R06A(NA)	15/5～19/12	3	2.4	0.68	0.96	1.44	MT
					3.2	2.56	0.72	1.02	1.54	CVT
	660	MR31S	R06A(TURBO)	14/1～19/12	3.4	2.72	0.77	1.09	1.63	
	660	MR31S	R06A(NA)	14/1～19/12	2.9	2.32	0.65	0.93	1.39	MT
					3	2.4	0.68	0.96	1.44	CVT
バレーノ BALENO	1000	WB42S	K10C(TURBO)	16/5～	4.5	3.6	1.01	1.44	2.16	
	1200	WB32S	K12C	16/3～	4.4	3.52	0.99	1.41	2.11	
パレット PALETTE	660	MK21S	K6A(TURBO)	09/9～13/2	3.4	2.72	0.77	1.09	1.63	
	660	MK21S	K6A(DOHC)	09/9～13/2	3.2	2.56	0.72	1.02	1.54	
	660	MK21S	K6A	08/1～09/8	3.2	2.56	0.72	1.02	1.54	
フロンクス FRONX	1500	WDB3S	K15C	24/10～	4.7	3.76	1.06	1.50	2.26	
	1500	WEB3S	K15C	24/10～	4.7	3.76	1.06	1.50	2.26	
ラパン LAPIN	660	HE33S	R06A(NA)	15/6～	3	2.4	0.68	0.96	1.44	AGS
					3.2	2.56	0.72	1.02	1.54	CVT
	660	HE22S	K6A(DOHC-TURBO)	08/11～15/5	3.4	2.72	0.77	1.09	1.63	
	660	HE22S	K6A(DOHC)	08/11～15/5	3.3	2.64	0.74	1.06	1.58	AT
					3.2	2.56	0.72	1.02	1.54	CVT
ランディ LANDY	1800	ZWR90C,ZWR95C	2ZR-FXE	22/8～	6.6	5.28	1.49	2.11	3.17	
					1.6	1.28	0.36	0.51	0.77	PCU
	2000	MZRA90C,MZRA95C	M20A-FKS	22/8～	7.4	5.92	1.67	2.37	3.55	
	2000	SGC27,SGNC27	MR20DD S-HYBRID	16/12～22/7	8.3	6.64	1.87	2.66	3.98	リアクーラー無し
					10.1	8.08	2.27	3.23	4.85	リアクーラー
	2000	SC27	MR20DD	16/12～22/7	8.3	6.64	1.87	2.66	3.98	リアクーラー無し
					10.1	8.08	2.27	3.23	4.85	リアクーラー
	2000	SHC26	MR20DD S-HYBRID	12/8～16/11	6.3	5.04	1.42	2.02	3.02	
					8.1	6.48	1.82	2.59	3.89	Auto Dual A/C
ワゴンR WAGON R	660	MH95S	R06D(NA,HYBRID)	19/12～	3.1	2.48	0.70	0.99	1.49	
					3.1	2.48	0.70	0.99	1.49	
	660	MH55S	R06A(TURBO,HYBRID)	17/2～	3	2.4	0.68	0.96	1.44	
	660	MH55S	R06A(NA)	17/2～19/11	3.1	2.48	0.70	0.99	1.49	ハイブリッド含む
	660	MH44S	R06A(TURBO)	15/8～17/1	3.4	2.72	0.77	1.09	1.63	
	660	MH44S	R06A(NA)	14/8～17/1	2.9	2.32	0.65	0.93	1.39	MT
					3.2	2.56	0.72	1.02	1.54	CVT
	660	MH34S	R06A(TURBO)	12/9～17/1	3.4	2.72	0.77	1.09	1.63	
	660	MH34S	R06A(NA)	12/9～17/1	2.9	2.32	0.65	0.93	1.39	MT
					3.2	2.56	0.72	1.02	1.54	CVT
	660	MH23S	K6A(TURBO)	08/9～12/9	3.4	2.72	0.77	1.09	1.63	
	660	MH23S	K6A(DOHC)	08/9～12/9	3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
					3.2	2.56	0.72	1.02	1.54	CVT
	660	MH22S	K6A(DOHC,TURBO)	07/2～08/8	3.5	2.8	0.79	1.12	1.68	
	660	MH22S	K6A(DOHC)	07/2～08/8	3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
					3.2	2.56	0.72	1.02	1.54	CVT
	660	MH21S	K6A(DOHC,TURBO)	03/9～07/2	3.5	2.8	0.79	1.12	1.68	
	660	MH21S	K6A(DOHC)	03/9～07/2	3	2.4	0.68	0.96	1.44	MT
					3.3	2.64	0.74	1.06	1.58	AT
ワゴンRソリオ WAGON R SORIO	1000	MA64S	K10A(DOHC)	00/11～05/8	4	3.2	0.90	1.28	1.92	
	1300	MA34S	M13A(DOHC)	00/11～05/8	4.6	3.68	1.04	1.47	2.21	