

SUBARU

※実車上で交換可能なクーラント量は全容量の80％程度となります。

車両	排気量	車両型式	エンジン	年式	冷却水全量A	Aの80%量	31%(-15度) になる抜量	全交換40% クーラント量	全交換 40%の水 量	備考
BRZ	2000	ZC6	FA20	16/8～21/7	7.2	5.76	1.62	2.30	3.46	6MT
					7.5	6	1.69	2.40	3.60	6AT
	2000	ZC6	FA20	12/3～16/7	7.2	5.76	1.62	2.30	3.46	6MT
					7.5	6	1.69	2.40	3.60	6AT
	2400	ZD8	FA24	21/8～	7.4	5.92	1.67	2.37	3.55	6MT
					7.7	6.16	1.73	2.46	3.70	6AT
WRX S4	2400	VBH	FA24(TURBO)	21/11～	8.7	6.96	1.96	2.78	4.18	
	2000	VAG	FA20(TURBO)	14/8～	8.2	6.56	1.85	2.62	3.94	
WRX STI	2000	VAB	EJ20(TURBO)	14/8～	7.9	6.32	1.78	2.53	3.79	
XV	1600	GT3	FB16A	17/5～22/12	7.8	6.24	1.76	2.50	3.74	
	2000	GT7	FB20C	17/5～22/12	7.8	6.24	1.76	2.50	3.74	
	2000	GP7	FB20A	12/10～17/4	8	6.4	1.80	2.56	3.84	
XV HYBRID	2000	GTE	FB20W(HYBRID)	18/10～22/12	7.8	6.24	1.76	2.50	3.74	
	2000	GPE	FB20+MA1(HYBRID)	13/6～17/4	8.2	6.56	1.85	2.62	3.94	
インプレッサ IMPREZA	2000	GU6	FB20C	23/4～	7.9	6.32	1.78	2.53	3.79	
	2000	GUE	FB20W	23/4～	8	6.4	1.80	2.56	3.84	Eボクサー
	2500	GVF	EJ25(TURBO)	10/7～14/7	7.6	6.08	1.71	2.43	3.65	
	2000	GVB	EJ20(AVCS,TURBO)	10/7～14/7	7.9	6.32	1.78	2.53	3.79	
	2500	GRF	EJ25(TURBO)	09/2～14/7	7.6	6.08	1.71	2.43	3.65	
	2000	GRB	EJ20(AVCS,TURBO)	07/6～14/7	7.9	6.32	1.78	2.53	3.79	
	2000	GH6.GH7	EJ20	07/6～11/10	6.9	5.52	1.55	2.21	3.31	
	2000	GH8	EJ20(AVCS,TURBO)	07/6～11/10	7.6	6.08	1.71	2.43	3.65	MT
					7.7	6.16	1.73	2.46	3.70	AT
	1500	GH2.GH3	EL15(DOHC)	07/6～11/10	7.6	6.08	1.71	2.43	3.65	MT
					7.5	6	1.69	2.40	3.60	AT
	1500	GDC.GDD	EL15(DOHC)	06/6～07/6	7.3	5.84	1.64	2.34	3.50	
	2000	GDB	EJ20(AVCS,TURBO)	00/10～07/9	7.7	6.16	1.73	2.46	3.70	
	2000	GDA	EJ20(TURBO)	00/8～07/6	7.7	6.16	1.73	2.46	3.70	MT
					7.6	6.08	1.71	2.43	3.65	AT
	2000	GD9	EJ20(NA)	00/8～03/9	7	5.6	1.58	2.24	3.36	MT
					6.9	5.52	1.55	2.21	3.31	AT
	1500	GD2.GD3	EJ15	00/8～07/6	7.4	5.92	1.67	2.37	3.55	MT
					7.3	5.84	1.64	2.34	3.50	AT
インプレッサG4	2000	GK6.GK7	FB20C	16/10～23/3	7.8	6.24	1.76	2.50	3.74	
IMPREZA G4	1600	GK2.GK3	FB16	16/10～23/3	7.8	6.24	1.76	2.50	3.74	
	1600	GJ2.GJ3	FB16	11/11～16/9	8.1	6.48	1.82	2.59	3.89	
	2000	GJ6.GJ7	FB20A	11/11～16/9	8.2	6.56	1.85	2.62	3.94	
インプレッサ ア ネシス IMPREZA ANESIS	2000	GE6.GE7	EJ20(SOHC)	08/10～11/10	6.9	5.52	1.55	2.21	3.31	
	1500	GE2.GE3	EL15(DOHC)	08/10～11/10	7.6	6.08	1.71	2.43	3.65	MT
					7.5	6	1.69	2.40	3.60	AT
インプレッサ ス ポーツ IMPREZA SPORT	2000	GT6.GT7	FB20C	16/10～23/3	7.8	6.24	1.76	2.50	3.74	
	1600	GT2.GT3	FB16	16/10～23/3	7.8	6.24	1.76	2.50	3.74	
	1600	GP2.GP3	FB16	11/11～16/9	8.1	6.48	1.82	2.59	3.89	
	2000	GP6.GP7	FB20A	11/11～16/9	8.2	6.56	1.85	2.62	3.94	
インプレッサス ポーツハイブ リッド IMPREZA SPORT HV	2000	GPE	FB20+MA1(HYBRID)	15/7～16/9	8.2	6.56	1.85	2.62	3.94	
インプレッサワ ゴン IMPREZA WAGON	1500	GGC.GGD	EL15(DOHC)	06/6～07/6	7.3	5.84	1.64	2.34	3.50	
	2000	GGB	EJ20(AVCS,TURBO)	00/10～07/9	7.7	6.16	1.73	2.46	3.70	
	2000	GGA	EJ20(TURBO)	00/8～03/9	7.7	6.16	1.73	2.46	3.70	MT
					7.6	6.08	1.71	2.43	3.65	AT
	2000	GG9	EJ20(NA)	00/8～07/6	7	5.6	1.58	2.24	3.36	MT
					6.9	5.52	1.55	2.21	3.31	AT
	1500	GG2.GG3	EJ15	00/8～07/6	7.4	5.92	1.67	2.37	3.55	MT
					7.3	5.84	1.64	2.34	3.50	AT

エクシーガ EXIGA	2500	YAM	FB25A	12/7～15/3	7.6	6.08	1.71	2.43	3.65	
	2500	YA9	EJ25(DOHC)	09/9～12/6	6.5	5.2	1.46	2.08	3.12	
	2000	YA5	EJ20(DOHC,TURBO)	08/6～15/3	8.1	6.48	1.82	2.59	3.89	
	2000	YA4.YA5	EJ20(DOHC)	08/6～13/7	6.8	5.44	1.53	2.18	3.26	
エクシーガ クロ スオーバー7 EXIGA CROSSOVER7	2500	YAM	FB25A	15/4～	7.6	6.08	1.71	2.43	3.65	
クロストレック CROSSTREK	2000	GUD.GUE	FB20W	23/1～	8	6.4	1.80	2.56	3.84	
	2500	GUF	FB25W	24/12～	7.3	5.84	1.64	2.34	3.50	
					1.7	1.36	0.38	0.54	0.82	インバータークーラント
サンバー SAMBAR	660	S321B.S33 1B	KF- DET(DOHC,TURBO)	12/4～	5.9	4.72	1.33	1.89	2.83	MT
					5.8	4.64	1.31	1.86	2.78	AT
	660	S321B.S33 1B	KF-VE	12/4～	5.7	4.56	1.28	1.82	2.74	MT
					5.6	4.48	1.26	1.79	2.69	AT
サンバー トラッ ク SAMBAR TRUCK	660	S500J.S51 0J	KF-VE	14/9～	3.6	2.88	0.81	1.15	1.73	MT
					3.7	2.96	0.83	1.18	1.78	AT
	660	S201J.S21 1J,S201H. S211H	KF-VE	12/4～14/8	3.8	3.04	0.86	1.22	1.82	
シフォン CHIFFON	660	LA650F.L A660F	KF-VE	19/7～	3.4	2.72	0.77	1.09	1.63	
	660	LA650F.L A660F	KF-VET(TURBO)	19/7～	3.4	2.72	0.77	1.09	1.63	
	660	LA600F.L A610F	KF-VE	16/11～19/6	3.5	2.8	0.79	1.12	1.68	
	660	LA600F.L A610F	KF-VET(TURBO)	16/11～19/6	3.5	2.8	0.79	1.12	1.68	
ジャスティ JUSTY	1000	M900F.M9 10F	1KR-FE	16/11～	4.4	3.52	0.99	1.41	2.11	
ステラ STELLA	660	LA150F.L A160F	KF- VET(DOHC,TURBO)	14/12～	3.5	2.8	0.79	1.12	1.68	
ステラ STELLA	660	LA150F.L A160F	KF-VE	14/12～	3.4	2.72	0.77	1.09	1.63	
	660	LA100F.L A110F	KF- DET(DOHC,TURBO)	11/5～14/11	2.9	2.32	0.65	0.93	1.39	
	660	LA100F.L A110F	KF-VE	11/5～14/11	2.8	2.24	0.63	0.90	1.34	
	660	RN1.RN2	EN07	06/6～11/4	3.8	3.04	0.86	1.22	1.82	
	660	RN1.RN2	EN07(SUPERCHARGE R)	06/6～11/4	3.7	2.96	0.83	1.18	1.78	
ディアスワゴン DIAS WAGON	660	S321N.S3 31N	KF- DET(DOHC,TURBO)	09/9～	5.8	4.64	1.31	1.86	2.78	
フォレスター FORESTER	1800	SK5	CB18E (TURBO)	20/10～	9.1	7.28	2.05	2.91	4.37	
	2000	SKE	FB20W(HYBRID)	18/9～	8	6.4	1.80	2.56	3.84	
	2500	SK9	FB25C	18/7～20/9	8.5	6.8	1.91	2.72	4.08	
	2000	SJG	FA20(TURBO)	12/11～18/6	8.2	6.56	1.85	2.62	3.94	
	2000	SJ5	FB20A	12/11～18/6	7.8	6.24	1.76	2.50	3.74	MT
					8.1	6.48	1.82	2.59	3.89	CVT
	2500	SH9	EJ25(DOHC,TURBO)	10/10～12/10	7.3	5.84	1.64	2.34	3.50	
	2000	SHJ	FB20A	10/10～12/10	7.4	5.92	1.67	2.37	3.55	MT
					7.3	5.84	1.64	2.34	3.50	AT
	2000	SH5	EJ20(DOHC,TURBO)	07/12～12/10	7.6	6.08	1.71	2.43	3.65	MT
					7.5	6	1.69	2.40	3.60	AT
	2000	SH5	EJ20(DOHC)	07/12～12/10	6.9	5.52	1.55	2.21	3.31	MT
					6.8	5.44	1.53	2.18	3.26	AT
	2500	SG9	EJ25(DOHC,TURBO)	04/2～07/12	7.4	5.92	1.67	2.37	3.55	
	2000	SG5	EJ20(DOHC,TURBO)	02/2～07/12	7.4	5.92	1.67	2.37	3.55	MT
					7.3	5.84	1.64	2.34	3.50	AT
					6.6	5.28	1.49	2.11	3.17	MT
プレオ PLEO	660	L275F.L28 5F	KF-VE	10/4～	3.1	2.48	0.70	0.99	1.49	MT
					3	2.4	0.68	0.96	1.44	CVT
	660	RA1.RA2	EN07	98/10～03/11	3.1	2.48	0.70	0.99	1.49	
	660	RV1.RV2	EN07	98/10～	3.1	2.48	0.70	0.99	1.49	
プレオネスタ	660	RA1 RA2	EN07	99/6～03/11	3.1	2.48	0.70	0.99	1.49	

PLEO NESTA	660	LA350F.L A360F	KF-VE	17/5～	2.9	2.32	0.65	0.93	1.39	
PLEO PLUS	660	LA300F.L A310F	KF-VE	12/12～17/4	3.2	2.56	0.72	1.02	1.54	
ルクラ	660	L455F.L46 5F	KF-VE	10/4～	2.8	2.24	0.63	0.90	1.34	
LUCRA	660	L455F.L46 5F	KF-VET(TURBO)	10/4～	3.1	2.48	0.70	0.99	1.49	
レヴォーグ	2400	VNH	FA24(TURBO)	21/11～	8.7	6.96	1.96	2.78	4.18	
LEVORG	1800	VN5	CB18E (TURBO)	20/11～	9.3	7.44	2.09	2.98	4.46	
	1600	VM4	FB16E(TURBO)	14/6～20/10	8.8	7.04	1.98	2.82	4.22	
	2000	VMG	FA20E(TURBO)	14/6～20/10	8.2	6.56	1.85	2.62	3.94	
レガシィ B4	2500	BN9	FB25A	14/10～	7.7	6.16	1.73	2.46	3.70	
LEGACY B4	2000	BMG	FA20E	12/5～14/6	8.2	6.56	1.85	2.62	3.94	
	2500	BMM	FB25A	12/5～14/6	7.6	6.08	1.71	2.43	3.65	
	2500	BM9	EJ25(TURBO)	09/5～14/6	6.6	5.28	1.49	2.11	3.17	MT
					6.9	5.52	1.55	2.21	3.31	AT
	2500	BM9	EJ25(NA)	09/5～14/6	6.5	5.2	1.46	2.08	3.12	
	2500	BL9	EJ25(NA)	07/11～09/5	6.4	5.12	1.44	2.05	3.07	
	3000	BLE	EZ30(AVCS,DOHC)	03/9～09/5	7.2	5.76	1.62	2.30	3.46	
	2000	BL5	EJ20(NA)	03/5～09/5	6.5	5.2	1.46	2.08	3.12	MT
					6.4	5.12	1.44	2.05	3.07	AT
	2000	BL5	EJ20(TURBO)	03/5～09/5	7.4	5.92	1.67	2.37	3.55	MT
					7.7	6.16	1.73	2.46	3.70	AT
レガシィ アウト バック	1800	BT5	CB18E (TURBO)	21/10～	0					
LEGACY OUTBACK	2500	BS9	FB25A	14/10～21/9	7.7	6.16	1.73	2.46	3.70	
	2500	BRM	FB25A	12/5～14/9	7.6	6.08	1.71	2.43	3.65	
	3600	BRF	EZ36	09/5～14/9	6.6	5.28	1.49	2.11	3.17	
	2500	BR9	EJ25(SOHC)	09/5～12/4	6.5	5.2	1.46	2.08	3.12	
	2500	BPH	EJ25(TURBO)	08/5～09/4	7.3	5.84	1.64	2.34	3.50	
	3000	BPE	EZ30(AVCS,DOHC)	03/10～09/5	7.2	5.76	1.62	2.30	3.46	
	2500	BP9	EJ25(NA)	03/10～09/5	6.4	5.12	1.44	2.05	3.07	
レガシィ ツーリ ングワゴン	2000	BRG	FA20E	12/5～14/6	8.2	6.56	1.85	2.62	3.94	
LEGACY TOURING WAGON	2500	BRM	FB25A	12/5～14/6	7.6	6.08	1.71	2.43	3.65	
	2500	BR9	EJ25(TURBO)	09/5～14/6	6.6	5.28	1.49	2.11	3.17	MT
					6.9	5.52	1.55	2.21	3.31	AT
	2500	BR9	EJ25(NA)	09/5～14/6	6.5	5.2	1.46	2.08	3.12	
	2500	BP9	EJ25(NA)	07/11～09/5	6.4	5.12	1.44	2.05	3.07	
	3000	BPE	EZ30(AVCS,DOHC)	03/9～09/5	7.2	5.76	1.62	2.30	3.46	
	2000	BP5	EJ20(NA)	03/5～09/5	6.5	5.2	1.46	2.08	3.12	MT
					6.4	5.12	1.44	2.05	3.07	AT
	2000	BP5	EJ20(TURBO)	03/5～09/5	7.4	5.92	1.67	2.37	3.55	MT
					7.7	6.16	1.73	2.46	3.70	AT